

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2263	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:20
S2	89	S1 and ((generat\$3 or provid\$3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 15:58
S3	55	S2 and (compil\$5 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S4	35	S3 and (interpret\$3 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S5	91	S1 and ((generat\$3 or provid\$3 or creat\$3) with (adapt?r\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S6	55	S5 and (compil\$5 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S7	35	S6 and (interpret\$3 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:51
S8	11	("5675804").URPN.	USPAT	OR	OFF	2005/02/18 12:03
S9	3	("6151703"   "6247169"   "6282702").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 12:13
S11	2263	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:01
S12	293	S11 and (state\$1 near2 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:01

S13	24	S12 and ((state\$1 near2 machine) same (compil\$6 with (\$4code\$1 or program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:03
S14	9	("5539907"   "5675803"   "5911073"   "6088525"   "6164841"   "6189141"   "6223339"   "6314558"   "6481008").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:50
S16	4	S14 and (state\$1 near2 machine)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:51
S17	4	S16 and (compil\$5 or interpret\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:52
S18	30545	(generat\$3 or provid\$3 or creat\$3) with (adapt?r\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:09
S19	944	S18 and (machine near2 state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:46
S20	127	S19 and (compil\$5 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:11
S21	40	S20 and (map\$4 with state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:12
S22	5	("5553286"   "5659751"   "5822591"   "6074432"   "6202208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 15:46
S25	1	("6381737").URPN.	USPAT	OR	OFF	2005/02/18 15:53
S26	36	S19 and ((map\$4 or translat\$3 or conver\$4) with state\$1 with (\$4code\$1))	USPAT	OR	OFF	2005/02/18 16:06
S27	2	("5966534").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:43

S28	35	(machine adj1 state\$1) with (call\$3 near3 (procedure\$1 or function\$1 or method\$1 or code or routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:45
S30	5699	machine adj1 state\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:36
S31	187	S30 with (map\$4 or \$3relat\$3 or associat\$3) with (code or instruction\$1 or statement\$1 or operation\$1 or method\$1 or procedure\$1 or routine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:38
S32	54	S31 and ((compil\$3 or translat\$3 or convert\$3) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:39
S33	1874	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:56
S34	60	S33 and ((generat\$3 or compil\$5 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:55
S35	21	S34 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:57
S36	579	compil\$5 with (adapter\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:59
S37	73	S36 with (dynamic\$4 or runtime or run-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:00
S38	7	S37 same ((virtual adj1 machine\$1) or JvM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:48

S39	5	S36 and (execution adj1 stack\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:56
S40	14285	(generat\$3 or compil\$5 or creat\$3) with (adapter\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:49
S42	2626	S40 and ((adapter\$1 or stub\$1) with (translat\$3 or convert\$3 or interpret\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:58
S43	9	S42 and (S40 same (virtual adj1 machine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:59
S44	5	("5553286"   "5659751"   "5822591"   "6074432"   "6202208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 14:06
S45	1	S44 and (stub\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 14:06
S46	348	(translat\$3 or convert\$3 or interpret\$3) with (runtime or run-time or execution) with stack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:42
S47	5	S46 same stub\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:45
S48	3	stub\$1 with interpreter\$1 with compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:45
S49	2083	(generat\$3 or compil\$5 or creatl8\$3) with (stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:49
S50	16	S49 same compiler\$1 same interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:58

S51	337	stub\$1 with stack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:58
S52	16	S51 same (interpreter\$1 or compiler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:37
S53	251	(709/304)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:38
S54	29	S53 and ((generat\$3 or compil3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:46
S55	8	S54 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
S56	0	S53 and (stub\$1 same compil\$3 same interpreter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
S57	5	S53 and (stub\$1 same compil\$3) and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
S58	407	(709/330)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:43
S59	67	S58 and ((generat\$3 or compil3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
S60	20	S59 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44

S61	0	S60 and (stub\$1 same compil\$3 same interpreter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
S62	3	S60 and (stub\$1 same compil\$3) and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
S63	19	(S53 or S58) and((dynamic\$4 or run\$4) with (generat\$3 or compil\$3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:48
S64	3	S63 and compiler\$1 and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:48
S65	5162	stack\$1 with (run?time or execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:21
S66	48	S65 same (adapt?r\$1 or stub\$1 or marshal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:22
S67	559	(run?time or execution) adj1 stack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:21
S68	5	S67 same (adapt?r\$1 or stub\$1 or marshal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:24
S69	11402	virtual adj1 machine\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:25
S70	1029	S69 with interpreter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:25

S71	865	S69 with compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:25
S72	384	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:25
S73	39	S72 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:26
S74	6	S73 and (marshal\$4 or stub\$1 or adapt?r\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/27 19:26
S75	21	(translat\$3 or convert\$3) with ((run?time or execution or dynamic) adj1 stack\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 15:54
S76	27109	(generat\$3 or provid\$3 or creat\$3) with (adapter\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:50
S77	324	S76 with (dynamic\$4 or run?time or (fly))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 15:59
S78	52	S77 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:53
S79	7	S78 and (interpreter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:00
S80	6	S79 and (JIT or compiler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:05

S81	3497	compiler\$1 with interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:06
S82	551	S81 same (JIT or just?in?time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:06
S83	274	S82 same (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:07
S84	55	S83 and (stub\$1 or adapt?r\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:07
S85	13	S84 and ((generat\$3 or provid\$3 or creat\$3) with (adapt?r\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:11
S87	96253	((generat\$3 or provid\$3 or creat\$3) with (adapt?r\$1 or stub\$1)) or marshal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:11
S88	854	S87 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:12
S89	95	S88 and ((virtual adj1 machine\$1) with (interpreter\$1 or JIT\$1 or just?in?time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:14
S90	37	S89 and (JIT or just?in?time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:46
S91	10	(stub\$1 or adapt?r\$1) with interpreter\$1 with compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:37

S92	37	S90 and (stub\$1 or adapt?r\$1 or marshal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:46
S93	76524	((generat\$3 or creat\$3) with (adapter\$1 or stub\$1)) or marshal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:51
S94	700	S93 with (run?time or (run adj1 time) or dyanamic\$4 or execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 16:51
S95	106	S94 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:05
S96	0	S95 and interpreter41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:37
S97	55	S95 and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:14
S98	8	S95 and JIT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:05
S99	1668	stack\$1 near2 (execution or run?time or runtime or (run adj1 time) or dyanamic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:11
S100	89	S99 same (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:17
S101	7	S100 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:36

S10 2	534	interpreter\$1 with (JIT or just?in?time) with compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:37
S10 3	263	S102 same (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 17:37
S10 4	24	S103 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:11
S10 5	2437	translat\$3 with stack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:11
S10 6	2328	stack\$1 near2 (execution or run?time or runtime or (run adj1 time) or dynamic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:12
S10 7	55	S105 same S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:12
S10 8	3	S107 same (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:13
S10 9	30	S105 same (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 18:13
S11 0	332	(virtual adj1 machine\$1) with interpreter\$1 with compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:24
S11 1	140	S110 same ((JIT or just?in?time or dynamic\$4 or fly or run?time) near3 compiler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:26

S11 2	109	S111 and (interpret\$3 with (bytecode\$1 or (byte adj1 code\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:28
S11 3	111	S111 and (interpret\$3 with (bytecode\$1 or (byte adj1 code\$1) or intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:28
S11 4	111	S113 and (compil\$3 with code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:29
S11 5	98	S113 and (compil\$3 with code\$1 with (JIT or just?in?time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:29
S11 6	17	S115 and (\$2marshal\$4 or stub\$1 or adapt?r\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:50
S11 7	504	compil\$5 with stub\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:51
S11 8	11	S117 same (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:51